


SERVICELINE

Catering & Refrigeration Equipment Sales  Est. 1989



**WILLIAMS AMBER
A400 CABINET**

WILLIAMS - AMBER A400 CABINET

SPECIFICATION DETAILS A400

External Dimensions (w x d x h - mm)	1210x577x805
Internal Dimensions (w x d x h - mm)	1140x414x606
Door opening	532
Capacity cu.ft/ltrs	9.4/267

KEY FEATURES

- Stainless steel exterior with aluminium interior
- Self closing doors on A400 model
- Barrel locked doors
- Magnetic balloon door gaskets with 100% tight seal
- Fitted with nylon coated, adjustable wire shelves on refrigerator models and static shelves on freezers.
- Pilaster racking with removable shelving clips on high temp models
- Removable racking system on high temp models
- Precision injected, high density polyurethane insulation with low GWP (Global Warming Potential) and zero ODP (Ozone Depletion Potential)
- Front vented refrigeration system (A135 and A280)
- CoolSmart controller
- Designed and engineered to operate efficiently up to 32°C ambient
- Air cooled condensing unit
- Defrost water is vaporised using recycled heat from compressor (high temp only)
- High performance helium leak testing

OPTIONS

- Additional shelves / clips (high temp only)
- 50mm castors
- Interior light (high temp only)
- Left hand hung door

AMBER A400 CABINET TECHNICAL DATA

SPECIFICATION DETAILS

HA400

LA400

Temperature (°C)	+1/+4°C	-18/-22°C
Climate Class	Class 4 (30°C)	Class 4 (30°C)
Power Supply	230V/50Hz/1Ph	230V/50Hz/1Ph
Fuse (Amps)	13	13
Defrost	Automatic Off Cycle	Manual
Noise level (dBA)	59	61
Shelves	3	6
Trayslides per section	-	Fixed

ELECTRICAL/ENERGY DATA

Refrigerant	R290	R290
Energy Efficiency Class	D	-
Energy Consumption (kW / 24hrs)	2.15	-
Start Up (Amps)	9.5	12.1
Running (Amps)	1.33	1.91
Heat Rejection	484	277

SERVICELINE

Catering & Refrigeration Equipment Sales  Est. 1989



01438 363 040

ServiceLine 1 Icen Ct, Icknield Way, Letchworth Garden City SG6 1TN