

SERVICELINE

Catering & Refrigeration Equipment Sales  Est. 1989



**WILLIAMS - TW15
THERMOWELL**

WILLIAMS - TW15 THERMOWELL

SPECIFICATION DETAILS	TW15
External Dimensions (w x d - mm)	1510 x 385
External Depth (Lid Open - mm)	447
Internal Dimensions (w x d - mm)	1217 x 305
Height	241
Height (Lid Open)	563

KEY FEATURES

- Foodsafe stainless steel exterior and interior
- Designed to accommodate 2,4,7 or 9 x 1/3 pans depending on model
- Digital thermometer and adjustable thermostat
- Designed and engineered to operate efficiently up to a 32°C ambient
- Hinged lid designed to stay open
- Precision injected, high density polyurethane insulation
- Fitted with rubber feet
- Removable unit cover
- Accepts 100mm deep 1/6GN and 1/3GN pans

OPTIONS

- Wall mounting kit
- Counter mounting kit
- Free standing extended legs (350mm incl. feet)
- Bridging bars
- 1/6 Stainless steel gastronorm pans
- 1/3 Stainless steel gastronorm pans

IMPORTANT NOTES

- **Energy consumption is tested to EN153 in 24hrs
- ***Heat rejection is evaporating at -10°C in 32°C Ambient

All refrigeration equipment requires adequate ventilation for efficient and effective performance.

Williams is committed to a policy of continual product development and innovation. As such, Williams reserve the right to change product specifications stated without prior notice.



TW15 - THERMOWELL TECHNICAL DATA

SPECIFICATION DETAILS

TW15

Temperature (°C)	+4/+8
Power Supply	220V/240V/50Hz/1Ph
Fuse (Amps)	13
Noise Level (dBA)	42.0
GN Pans	Can accept 1/3, 1/6GN (pans not included)

ELECTRICAL/ENERGY DATA - STANDARD REFRIGERANT

Refrigerant	R134a
Energy Consumption (kW / 24hrs)	1.53
Start Up (Amps)	8.35
Running (Amps)	1.25
Heat Rejection (kW / 24hrs)**	267

SERVICELINE

Catering & Refrigeration Equipment Sales  Est. 1989



01438 363 040

ServiceLine 1 Icen Ct, Icknield Way, Letchworth Garden City SG6 1TN