





FALCON E1006X ELECTRIC CHIEFTAIN THREE HOTPLATE OVEN RANGE

SPECIFICATION DETAILS	E1006X
Electrical rating (kW)	15.35
Electrical supply voltage	400V 3N~
Electrical current split (A)	L1: 28.5 L2: 14 L3: 22.5
Hotplate rating (kW)	335 x 3
Oven element rating (kW)	5.3
Oven dimensions (w x d x h - mm)	650 x 530 x 350
Oven shelf (w x d - mm)	650 x 530
Gastronorm compatibility	2/1
Weight (kg)	227
Packed weight (kg)	240
Packed dimensions (w x d x h - mm)	1000 x 1000 x 1100

KEY FEATURES

- Individually-controlled havy duty cast iron hotplates Flexible temperature control, large level cooking area
- Two removable drip trays Deal with hob spllages quickly and hygienically
- All stainless steel exterior panel construction Superior durability and easy to clean
- 2/1 GN compatible oven with anti-tilt shelves Large capacity output
- Wide oven temperature range of 125 275°C Ideal to prepare a wide variety of food
- Reinforced drop down door Rest food on door when loading / unloading in necessary
- Oven has 4 shelf positions and allows 2 shelf cooking Versatile, ideal for a wide range of menu items

ACCESSORIES

- Pot rack
- Oven shelf
- Factory fitted, adjustable castors

SIMILAR MODELS

- E9184 four hotplate oven range
- E3101 3HP oven range
- G1006BX gas solid top range

INSTALLATION NOTE

Adequate ventilation must be provided to supply sufficient fresh air and to allow easy removal of any such products that may present a risk to health. Please consult current legislation for details that relate to specific locations.

Install unit on a level, fireproof surface in a well-lit position. If floor is made of a combustible material, local fire requirements must be checked to ensure compliance.

A clearance of 150mm should be observed between appliance and any com-





SPECIFICATIONS AND DIMENSIONS







