





FALCON E2994 ELECTRIC CHIEFTAIN MANUAL TILT BRATT PAN

SPECIFICATION DETAILS	E2994
Electrical rating (kW)	8.8
Electrical supply voltage	400V 3N~ or 230V~
Electrical current split 400V 3N~ (A)	L1: 12.8 L2: 12.8 L3: 12.8
Electrical current split 230V~ (A)	L1: 38.4
Oil capacity (litres)	21
Pan capacity (litres)	60
Pan size (w x d x h - mm)	500 x 530 x 140
Weight (kg)	165
Packed weight (kg)	178
Packed dimensions (w x d x h - mm)	950 x 1000 x 1100

KEY FEATURES

- Heavy duty cast iron pan Delivers consistently even heating across the pan
- Versatile cooking performance Able to carry out seven different cooking methods, including frying
- Manual tilt via front located handle Safe smooth pan tilting
- Incremental opening lid See what's cooking without unnecessary heat loss
- Precise temperature control from 100 300°C Responsive and accurate controls
- Automatic power cut-off when pan is tilted Additional safety feature for added peace of mind

ACCESSORIES

- Cradle
- Factory fitted, adjustable castors

SIMILAR MODELS

- E2962 37 litre bratt par
- E3800DX 60 litre duplex bratt pan
- E9881 80 litre duplex bratt pan
- G2962 37 litre gas bratt par
- G2994 60 litre gas bratt par

INSTALLATION NOTES

Adequate ventilation, whether natural or mechanical, must be provided to supply sufficient fresh air for combustion and to allow easy removal of such products that may present risk to health. Recommendations for ventilation of appliances are given in BS5440:2 and HVCA specification DW/172.

For multiple installations, requirements for individual appliances should be added together. Installation of any such system must be completed in accordance with loca and/or national regulations that apply at time of commissioning.

The appliance must be installed on a tirm, level floor in a well lit position. If levelling is necessary this is effected by adjusting the feet.





DIMENSIONS MEASUREMENTS IN MM



