

# SERVICELINE

Catering & Refrigeration Equipment Sales  Est. 1989



**FALCON E9184 ELECTRIC  
F900 FOUR HOTPLATE OVEN RANGE**

## FALCON E9184 ELECTRIC F900 FOUR HOTPLATE OVEN RANGE

SPECIFICATION DETAILS	E9184
Electrical rating (kW)	22.3
Electrical supply voltage	400V 3N~ 50/60Hz
Required electrical supply (A)	63
Electrical current split (A)	L1: 34.6, L2: 34.6, L3: 27.6
Element rating - hob (kW)	4 x 4
Element rating - oven (kW)	6.3
Size of hotplate (w x d - mm)	300 x 300
Oven dimensions (w x d x h - mm)	565 x 730 x 300
Oven shelf (w x d - mm)	535 x 700
Gastronorm compatibility	2/1
Weight (kg)	134
Packed weight (kg)	151
Packed dimensions (w x d x h - mm)	1000 x 1000 x 1110

### KEY FEATURES

- 4 x high performance, 4kW cast iron hotplates - Quick heat up, reduced waiting time
- Each hotplate has 6 heat positions - Precise temperature control
- Pressed hob wells - Contains spillages, making it easier to clean
- Wide oven temperature range of 80 - 300°C - Ideal to prepare a wide variety of food
- 2/1 GN oven with side-mounted runners - Large capacity output
- Fully pressed metal to metal door seal - Keeps heat where it's needed - in the oven chamber
- Oven has 5 shelf positions and allows 2 shelf cooking - Versatile, ideal for a wide range of menu items
- IPX5 rated - Easy and problem-free cleaning
- Stainless steel panels with Scotch Brite finish - Looks great, ideal for front-of-house kitchens
- Dynamic Link System compatible - Integrated linking system allows quick and easy installation to create a seamless, continuous cookline

### ACCESSORIES

- Oven shelf
- Trivet
- Front hob rail
- Kick strip
- Rear blanking plate
- Side hob extension
- Factory fitted, adjustable castors

### SIMILAR MODELS

- E9084 four hotplate boiling top
- E3101 3 hotplate oven range
- E3101 4 hotplate oven range
- E3101P 6 hotplate oven range
- G9184 four burner gas oven range

### SHORT FORM SPECIFICATION

Unit to be Falcon F900 Series electric range having 4 x 4kW electric cast iron hotplates and a 2/1 GN oven below with 5 shelf positions to be supplied upon adjustable feet.




The hob will be constructed from 2mm 304 grade stainless steel. Hobs will be laser cut with right-angled edges to allow joining of units with no gaps between hobs. Exterior panels are Scotch Brite finish stainless steel. Control knobs to be marked showing temperature positions and to have a bezel behind each knob to prevent water ingress.

Oven to be 2/1 GN compatible on runners.

### INSTALLATION NOTE

Please consult local legislation with regard to installation of cooking equipment.

## SPECIFICATIONS AND DIMENSIONS



Unit on castors is the same hob height

# SERVICELINE

Catering & Refrigeration Equipment Sales  Est. 1989



01438 363 040

ServiceLine 1 Icen Ct, Icknield Way, Letchworth Garden City SG6 1TN